[Shop Order		
Emmet Coun	ty 4x4 Panther		
Sales Rep:	Terms:		
Drawing #: Est. Delivery Customer P Customer #: QPF #:	O #: Penalty:		
Exp. Date: Quote No: 08/01/2022	06/15/2022 10141-0013		Page 1
PART NO	S DESCRIPTION	QTY	ID
	== Rosenbauer Panther - 0.000 05/03/22 ==	1	RBM
	Panther 4x4	1	RBM
PA-01-0000	Definitions	1	RBM
PA-01-0001	Definitions - 4x4	1	RBM
	Expected Use & Fire Suppression Characteristics	1	RBM
PA-02-0001	Expected Use and Fire Suppression Characteristics	1	RBM
FA-02-0001			
DA 00 0004	Technical Information	1	RBM
PA-03-0001	Technical Information/Manuals/ On Board USB Storage	1	RBM
PA-03-0004	Technical Information/Manuals - USB and Hard Copy	1	RBM
PA-03-0050	Familiarization Guide	1	RBM
PA-03-0200	Water Foam Agent Applicators	1	RBM
PA-03-0210	Quality Assurance	1	RBM
PA-03-0220	Delivery	1	RBM
PA-03-0230	Vehicle Familiarization	1	RBM
177 00 0200	Warranties/Inspections	1	RBM
PA-03-0400	Base Vehicle Warranty - One Year	1	RBM
PA-03-0402	S < Engine Warranty - Two Year	1	RBM
PA-03-0406	Transmission Warranty - Two Year	1	RBM
PA-03-0410	Water Pump Warranty - Five Year	1	RBM
PA-03-0412	Water/Foam Tank Warranty - Lifetime	1	RBM
PA-03-0414	Paint Warranty - Five Year	1	RBM
PA-03-0250	S < Pre-Construction Meeting at Customer Location Virtual Preconstruction Conference	1	RBM
DA 00.0004	No Final Instruction Trip		DDM
PA-03-0261	==== No Final Inspection Trip ====	1	RBM
PA-03-0265	==== No Mid-Point Inspection Trip ====	1	RBM
PA-03-0271	==== No Factory Service Inspection ====	1	RBM
PA-03-0281	==== No Factory Maintenance Training ====	1	RBM
PA-03-0291	==== No Export Preparation ====	1	RBM
PA-31-1215	English Labels	1	RBM
PA-03-0103	Rosenbauer Testing and Compliance Per NFPA-414/FAA 5220-10E	1	RBM
	Painting/Undercoating	1	RBM

8/01/2022 PART NO	S DESCRIPTION	QTY	Pag
PA-04-0001	Painting 4x4	1	RBM
PA-04-0021	< > Exterior Paint - Single Color, Solid (No Gray Lower Sides)	1	RBM
11010021	Cab - FLNA40119 Black "A" pillars		T CBIN
	Rear engine mod face job color		
	Black gloss front under ride parts textured		
	Interior cab - gray texture		
	Angle of departure to be job color		
	Black frame		
		_	
A-04-0025	Undercoating (Wheelwells)	1	RBM
A-04-0100	==== No Interior Compartment Paint ====	1	RBM
A-04-0150	Wheel Paint - Black	1	RBN
	Lettering/Striping	1	RBN
A-05-0001	S < > Lettering/Numbering	1	RBM
A-05-0001		1	RDIV
	PELLSTON REGIONAL AIRPORT		
	AIRCRAFT RESCUE FIREFIGHTING		
	Airport logo		
	#4405 on both sides and top of vehicle		
A-05-0005	Plate for Roof Number (Unpainted)	1	RBN
A-05-0006	====No Painted Rear Number Plate====	1	RBN
		-	
PA-06-0000	Striping	1	RBM
PA-06-0001	< > 8" Striping	1	RBM
	Install Panther logo on vehicle per rendering.		
PA-06-1012	==== No Rear Chevron ====	1	RBN
	Winterization System	1	RBM
PA-07-0050	Webasto Winterization System (4x4)	1	RBM
PA-07-0010	==== No Water Tank Heat Exhanger ====	1	RBM
		1	RBM
PA-07-0020	==== No Undertank Heat Exchanger ====		
A-07-0030	==== No Cab Heat Exchanger ====	1	RBN
A-07-0060	Aux. Pump Compartment Heat	1	RBN
	Performance	1	RBN
A-08-0001	Performance - 4X4	1	RBM
	Flexibility	1	RBN
A-09-0001	Flexibility	1	RBM
	Maintainability	1	RBN
A-10-0001	Maintainability	1	RBM
A-10-0010	Standard Lubrication (No Auto Lube)	1	RBN
A-10-0020	Component Protection	1	RBN
	Balance and Clearance	1	RBN
A-11-0001	Balance and Clearances	1	RBN
A-11-0010	Frame - 4x4	1	RBN
	Dimensions	1	RBN
A-12-0001	Dimension - 4x4	1	RBM
	Load Rating	1	RBN
A-13-0001	Load Rating - 4x4	1	RBM
	· •	1	RBM
A 44 000A	Engine		
PA-14-000A	Engine Base Spec (Tier- 4)	1	RBM
A-14-0001	Engine Volvo - North America (Tier-4)	1	RBM
A-14-0010	Engine Brake	1	RBM
A-15-0001	Cooling System (Tier-4)	1	RBN
		1	

S DESCRIPTION	QTY	ID
Cooling Rating (-40F - 110F)	1	RBM
		RBM
	-	RBM
	-	
		RBM
	-	RBM
	1	RBM
Exhaust System (Tier-4)	1	RBM
==== No Exhaust Outlet Adapter ====	1	RBM
	1	RBM
	1	RBM
		RBM
	-	RBM
•	-	RBM
	1	RBM
Wheels and Tire Assembly	1	RBM
> Wheels and Tire Assembly (Drum Brakes)	1	RBM
	1	RBM
	-	RBM
		RBM
	-	
		RBM
	-	RBM
	1	RBM
Tow Eyes and Shackles	1	RBM
	1	RBM
		RBM
•	-	RBM
	-	RBM
	1	RBM
Front and Rear Brakes - Wedge-Type	1	RBM
I Front Axle with Drum Brakes	1	RBM
	1	RBM
		RBM
	-	RBM
	1	RBM
Left Center Steering Position	1	RBM
Cab Coach Work	1	RBM
I Cab Coach Work left Center Steering Position	1	RBM
	1	RBM
	1	RBM
	1	RBM
	1	RBM
Bumper/Turret	1	RBM
	1	RBM
	-	RBM
		RBM
	-	RBM
	-	
		RBM
	1	RBM
Cab Glass with Built In Window Tint	1	RBM
	1	RBM
	1	RBM
		RBM
		RBM
		RBM
Dash Electric (New Driver Display)	1	RBM
	1	RBM
		RBM
	-	RBM
	1	
∠ total- 1 for each from seat		
	==== No High Idle Switch ==== Fuel System Fuel Re-Prime System Fuel Re-Prime System Fuel Tank 80 Galion Exhaust System (Tier-4) -==== No Exhaust Quitet Adapter ==== -==== No Diesel Exhaust Purifier/Scrubber ==== Transmission Twin Disc Transfer Case Suspension Wheels and Tire Assembly Wheels and Tire Assembly (Drum Brakes) Michelin Tires > Michelin Tires - Park Bystem Tow Eyes and Shackles Tow Eyes and Shackles Tow Eyes and Shackles F	- ==== № High Idle Switch ==== 1 Fuel System (4x4) 1 - Fuel Re-Prime System 1 - Fuel Re-Prime System 1 - Fuel Tank 80 Gallon 1 1 -==== No Exhaust System (Tier-4) 1 -==== No Exhaust Purifier/Scrubber ==== 1 -==== No Exhaust Purifier/Scrubber ==== 1 -==== No Exhaust Purifier/Scrubber === 1 -==== No Exhaust Purifier/Scrubber === 1 -==== No Beast Disc 1 -= Transmission Twin Disc 1 -= Transfer Case 1 Wheels and Tire Assembly 1 -= Wheels and Tire Assembly 1 -= -=== No Bead Locks==== 1 -= Mud Flaps 1 -= === No Bead Locks==== 1 -= Tow Eyes and Shackles 1 -= === No Pintle Hitch==== 1 -= Tow Eyes and Shackles 1 -= === No Pintle Hitch==== 1 -= Tow Eyes and Shackles 1 -= Tow Eyes and Shackles 1 -= Forth Arke with

	S DESCRIPTION	QTY	Page ID
PART NO PA-31-1070	I Sun Visors	1	RBM
PA-31-1067	> USB 12 Volt Power Point	1	RBM
PA-31-1068	 I 12 Volt Power Point 	1	RBM
PA-31-1074	Map Lights Gooseneck (One ea. Side of Cab Dash)	1	RBM
PA-31-107B	Flashlights Mounted in Cab	1	RBM
PA-31-107A	< LED Streamlight LiteBoxes (2) (Yellow in Color)	1	RBM
	One (1) each side of cab dash.		
PA-31-1076	Mirrors	1	RBM
PA-31-1100	Crew Space	1	RBM
PA-31-1111	==== No AM/FM Radio ====	1	RBM
PA-31-1120	Ride Quality	1	RBM
PA-31-1130	Controls	1	RBM
PA-31-1138	Whelen Siren/Public Address System w/ 1 Speaker	1	RBM
PA-31-1146	====No Siren Foot Switch====	1	RBM
PA-31-1150	Back-Up Alarm	1	RBM
PA-31-1161	Hadley Stuttertone Air Horn System	1	RBM
PA-31-1166	==== No Air Horn Foot Switches ====	1	
PA-31-1172	Pre-installation of Radio Antenna Taps	1	RBM
-		1	RBM
PA-31-1174	S < > Final Installation of Radio		RDIVI
	An iCom A-120 and Kenwood TK-7180 radios will be provided and installed in th	e	
	cab. A Motorola APX6500 will be installed, but will be provided by customer.		
	Two (2) master stations will be installed. One (1) in the cab and one (1) at the pur	np	
	panel.		
	Two (2) iCom IC-A16 handheld radios will be provided with chargers wired into	0	
	vehicle.		
PA-31-1180	Three (3) 3-30 Amp Circuits with three (3) Antenna Taps with Covers	1	RBM
PA-31-1192	Pre-installation of Headset	1	RBM
PA-31-1193	S < > Final Installation of Headset		RBM
		1	
	Two (2) extension stations will be provided. One (1) installed at the structural pun		
	panel and one (1) installed in the cab.	np	
	panel and one (1) installed in the cab.	np	
	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone	np	
	panel and one (1) installed in the cab.	np	
	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel.	np	
PA-31-1200	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system.	np es	RBM
	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights	np es 1	RBM
PA-31-1205	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ====	np es 1	RBM
PA-31-1205 PA-31-1210	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation	np es 1 1	RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation	np 1 es 1 1 1	RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Information	np es 1 1 1 1 1	RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1220 PA-31-1230	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. I Instruments and Warning Lights I ==== No Remote Start ==== I Control Panel for Driving Operation I Standard Instrumentation I Information I Warnings	np es 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Information	np es 1 1 1 1 1	RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1240	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. I Instruments and Warning Lights I ==== No Remote Start ==== I Control Panel for Driving Operation I Standard Instrumentation I Information I Warnings	np es 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1240 PA-31-1232	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. I Instruments and Warning Lights I ==== No Remote Start ===== I Control Panel for Driving Operation I Standard Instrumentation I Information I Control Panel for Fire Fighting Operation I Control Panel for Fire Fighting Operation I Control Panel for Fire Fighting Operation I Instrumentation Display (Standard)	np es 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1240 PA-31-1232 PA-31-1250	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. I Instruments and Warning Lights I ==== No Remote Start ===== I Control Panel for Driving Operation I Standard Instrumentation I Information I Warnings I Control Panel for Fire Fighting Operation I Control Panel for Fire Fighting Operation I Dry Chemical Agent Control Panel	np es 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Standard Instrumentation Warnings Control Panel for Fire Fighting Operation Instrumentation Display (Standard) Dry Chemical Agent Control Panel Interior Cabinets	np es 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Information Unformation Warnings Control Panel for Fire Fighting Operation Instrumentation Display (Standard) Dry Chemical Agent Control Panel Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272 PA-31-1010	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. (Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Information Information Warnings Control Panel for Fire Fighting Operation Instrumentation Display (Standard) Instrumentation Display (Standard) Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light Air Conditioning System	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272 PA-31-1010 PA-31-1024	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Information Information Information Control Panel for Fire Fighting Operation Information Instrumentation Display (Standard) Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light Air Conditioning System ==== NO Dash Mounted Fans ====	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272 PA-31-1010 PA-31-1024 PA-31-1029	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ===== Control Panel for Driving Operation Standard Instrumentation Information Information Instrumentation Display (Standard) Instrumentation Display (Standard) Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light Air Conditioning System ==== NO Dash Mounted Fans ==== ====No California Prop 65 Label Required=====	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1200 PA-31-1205 PA-31-1210 PA-31-1210 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272 PA-31-1010 PA-31-1029 PA-31-1025	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ==== Control Panel for Driving Operation Standard Instrumentation Information Information Warnings Control Panel for Fire Fighting Operation Instrumentation Display (Standard) Dry Chemical Agent Control Panel Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light Air Conditioning System ==== NO Dash Mounted Fans ==== ====No California Prop 65 Label Required==== ===NO CleanAir Cab Scrubber===	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM RBM
PA-31-1205 PA-31-1210 PA-31-1212 PA-31-1220 PA-31-1230 PA-31-1230 PA-31-1232 PA-31-1250 PA-31-1270 PA-31-1272 PA-31-1010 PA-31-1024 PA-31-1029	panel and one (1) installed in the cab. Two (2) noise cancelling radio transmit headsets with noise cancelling microphone will be provided and installed in the cab and at the pump panel. All three (3) radios will be wired to the setcom system. Instruments and Warning Lights ==== No Remote Start ===== Control Panel for Driving Operation Standard Instrumentation Information Information Instrumentation Display (Standard) Instrumentation Display (Standard) Interior Cabinets EMS Cabinet W/ Roll-Up Door 2 shelves/1 LED light Air Conditioning System ==== NO Dash Mounted Fans ==== ====No California Prop 65 Label Required=====	np es 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RBM RBM RBM RBM RBM RBM RBM RBM RBM RBM

PART NO S	DESCRIPTION	QTY	Page ID
PA-31-2041	Seat Officer Manual Load and Lock SCBA ABTS		RBM
PA-31-2030	Left Seat Crew Flip Up Load and Lock SCBA ABTS	1	RBM
PA-31-2049	==== No Right Side Crew Seat ====	1	RBM
PA-31-2339	====No Seat Belt Warning System====	1	RBM
		1	RBM
PA-31-2400	==== No Wall Mount SCBA Brackets ====	4	
	Camera System	1	RBM
PA-32-0006	==== Camera System (FLIR) - Pan & Tilt ====	1	RBM
PA-32-0030	Pan and Tilt Flir Black and White Roof Mount - Location Left Side	1	RBM
PA-32-0052	Flip Monitor Left (Optimo)	1	RBM
PA-32-0021	Back-Up Camera	1	RBM
PA-32-0055	Flip Monitor Right (Optimo)	1	RBM
PA-32-0100	==== No Front Color Camera ====	1	RBM
PA-32-0110	==== No 360 Degree Perimeter Camera System ====	1	RBM
PA-32-0200	==== No Camera Selection Device ====	1	RBM
PA-32-0300	==== No Digital Video Recorder (DVR) ====	1	RBM
PA-32-0400	==== No Driver's Enhanced Vision System (EMEREC) ====	1	RBM
PA-32-0502	MADAS/RBI Connected Fleet System	1	RBM
PA-32-0512	Connected Fleet Broadcast/Transmit 1 Year Subscription	1	RBM
PA-33-0001	Lateral Acceleration Indicator/DWD	1	RBM
17100 0001	Compartments	1	RBM
PA-35-0001	Pump Compartment w/ Roll-Up Door	1	RBM
PA-35-0001	Compartment Weight Labels - Every Compartment	1	RBM
		1	RBM
PA-35-0015	==== No Compartment Storage Inventory Labels ====		
PA-35-0022	Left Side Undertank Compartment (Used With Drum Brakes)	1	RBM
PA-35-0300	====No Adjustable Shelves ====	1	RBM
PA-35-0310	==== No Roll-Out Tray ====	1	RBM
PA-35-0023	Right Side Undertank Compartment (Used With Drum Brakes)	1	RBM
PA-35-0302	< > Adjustable Shelf - Right Side Compartment with Turtle Tile	1	RBM
	Undertank full length midpoint of compartment above pull out		
PA-35-0312	< > Roll-Out Tray - Right Side Compartment with Turtle Tile	1	RBM
	Undertank full length compartment floor		
PA-35-0040	Non-Locking Roll-Up Compartment Doors	1	RBM
PA-35-0110	Roll-Up Compartment Doors - Anodized Aluminum (Un-Painted)	1	RBM
PA-35-0051	SCBA Compt - Pump Mod (2 ea. side Vertically Stacked)	1	RBM
PA-35-0061	Rear Engine Compartment	1	RBM
PA-35-0078	Rear Access Ladder (Mtd Offset Right)	1	RBM
PA-35-0070	Additional Engine Compartment Parts	1	RBM
PA-35-0190	==== No Vertical Roll-Out Tool Board ====	1	RBM
PA-35-0193	Fixed Shelf Ea. Side of Eng. Mod Compartment	1	RBM
PA-35-0199	Turtle Tile Compartment Floors (Black)	1	RBM
PA-35-0199	Open Compartment Door Warning System w/Individual Compartment	1	RBM
1 7-33-0200	Indicator		
	Ladders, Hard Suction Hose, and Pike Poles	1	RBM
PA-35-5012		1	RBM
	Rear Ladder Mnt. Bracket for Little Giant Ladder Left of access ladder	1	
PA-35-5016	Rear Mounted Little Giant Ladder (Model 26)		RBM
PA-35-5030	==== No Top Ladder Mounting ====	1	RBM
PA-35-5050	==== No Top Hard Suction Hose Mounting ====	1	RBM
PA-35-5070	==== No Top Pike Pole Mounting ====	1	RBM
	Handrails	1	RBM
PA-36-0003	Handrails/Guardrail (Standard Height 4x4)	1	RBM
	Steps, and Walkways	1	RBM
PA-37-0001	Steps, and Walkways	1	RBM
	Fire Extinguishing Systems - Water System	1	RBM
	Plumbing - 4x4	1	RBM
PA-38-0010	N80 Aluminum Fire Pump	1	RBM
PA-38-0012	Galvanized Steel Piping (4x4)	1	RBM
PA-38-001F	Stainless Steel Cable for Pump Fittings	1	RBM
	Main Pump 5" Suction Gated Inlet Left with Drain	1	RBM
PA-38-0021			
PA-38-0021			

)8/01/2022 PART NO	DESCRIPTION	QTY	Page ID
PA-38-0038	Auxiliary 2 1/2" Pump Suction Inlet Left with Drain	1	RBM
PA-38-0045	2.5 NST (F) Swivel with Plug	1	RBM
PA-38-004K	5" Storz w Cap	1	RBM
PA-38-0023	==== No Main Pump 5" Suction Inlet Right ====	1	RBM
		-	
PA-38-0027	< 4" Direct Tank Fill Left	1	RBM
	Provide drain		
PA-38-004I	5" Storz X 2.5 NSTF Adapter w Plug	1	RBM
PA-38-0031	< 4" Direct Tank Fill Right	1	RBM
	Provide drain		
PA-38-004I	L 5" Store V 2.5 NOTE Adoptor w Dive	1	RBM
	5" Storz X 2.5 NSTF Adapter w Plug	-	
PA-38-0052	Left Side 2 1/2" Discharge with Cap NST	1	RBM
PA-38-0076	==== No Additional Left Side 2 1/2" Discharge ====	1	RBM
PA-38-0055	Right Side 2 1/2" Discharge with Cap NST	1	RBM
PA-38-0079	==== No Additional Right Side 2 1/2" Discharge ====	1	RBM
PA-38-0072	< > Left Side Preconnected 1 1/2" Discharge	1	RBM
	Undertank compartment next to swing out hose reel with divider between.		
PA-38-0085	I 1 1/2" Water/Foam Nozzle NST	1	RBM
PA-38-0093	200' Hose 1 3/4" Diameter NST (Yellow)	1	RBM
		1	RBM
PA-38-0097	> Pre-Connect Mounted on Compartment Floor/Turtle Tile		
PA-38-0075	< Right Side Preconnected 1 1/2" Discharge Pump compartment on floor	1	RBM
	Fump compartment of hoor		
PA-38-0085	1 1/2" Water/Foam Nozzle NST	1	RBM
PA-38-0093	200' Hose 1 3/4" Diameter NST (Yellow)	1	RBM
PA-38-0097	> Pre-Connect Mounted on Compartment Floor/Turtle Tile	1	RBM
PA-38-0121	Structural Control Panel	1	RBM
PA-38-0130	==== No Left Hose Reels ====	1	RBM
PA-38-0133	==== No Right Hose Reels ====	1	RBM
PA-38-0200	PSI Pump Panel Gauges	1	RBM
PA-27-0020		1	RBM
PA-27-0020		1	RDIVI
	Mount joystick closest to driver on center console. 500/1000 flow rates		
	500/1000 now rates		
PA-27-0026	Chem Core Nozzle RM35	1	RBM
PA-27-0020	Split Bumper	1	RBM
		-	
PA-43-0115	One (1) LED Turret Light	1	RBM
PA-43-001A	< Roof Turret RM 35 (4x4) 500/1000 flow rates	1	RBM
PA-43-001I	====No Dry Chem to Nozzle====	1	RBM
PA-43-0115	One (1) LED Turret Light	1	RBM
PA-38-0060	==== No Under Truck Nozzles ====	1	RBM
17100 0000	Water Tank, Piping, and Connections	1	RBM
PA-40-0001		1	RBM
PA-40-0001	< Poly Tank Description	1	RDIVI
	Provide 1 1/2" storz fitting for the tank drain.		
	No cap required.		
D A 40.000-			
PA-40-0003	1600 Gallons Water/210 Gallons Foam	1	RBM
PA-40-0100	No Exterior LED Water Tank Level Indicator 4x4	1	RBM
	Fire Extinguishing System - Foam Concentrate System	1	RBM
PA-41-0001	Fire Extinguishing System - Foam Concentrate System	1	RBM
	· · · · · ·		

PART NO	S DESCRIPTION	QTY	Pag ID
PA-41-0005	Foam Concentrate Tank, Piping, and Connections	1	RBM
PA-41-0022	Fix-Mix 2.0E with Foam Testing Capability	1	RBM
PA-41-0024	Foam Draft Connection Left Side (Storz)	1	RBM
PA-41-0030		1	RBM
-A-41-0030	Direct Foam Tank Fill/Drain Both Sides (Storz)	-	
	Foam Transfer Pump	1	RBM
PA-42-0001	< 110 Volt Foam Transfer Pump with Hose (Storz)	1	RBM
	Ship Loose	_	
PA-42-0004	====No AC Recept. for Foam Transfer Pump====	1	RBM
PA-42-0004	No Exterior LED Foam Tank Level Indicator	1	RBM
	I. Contraction of the second se		RBM
PA-42-0020	==== No Foam Concentrate ====	1	
PA-42-0046	====No Additional Foam Required====	1	RBM
	Complimentary Agent System(s)	1	RBM
PA-44-0001	Complimentary Agent System(s)	1	RBM
PA-44-0012	> 500LB. Dry Chemical Extinguishing System Two Outlets with Funnel	1	RBM
PA-44-0221	> Purple K Dry Chemical Agent - 50 lb (22.7 kg) Pails	9	RBM
PA-44-0241	Spare Nitrogen Charging Cylinders	1	RBM
PA-44-0020	==== NO Halotron Extinguishing System ====	1	RBM
PA-44-0114	 Indication Excluding System ==== Indication Excluding System ==== Indication Excluding System ==== 	1	RBM
A-44-0114	undertank		
	undenank		
PA-44-0040	Single Agent Hose Reel	1	RBM
PA-44-0030	Dry Chem Discharge	1	RBM
PA-44-0050	150' Hose 1" Diameter	1	RBM
PA-44-0102	Dry Chem Nozzle	1	RBM
PA-44-0140	==== No Additional Left Hose Reels ====	1	RBM
PA-44-0113	==== No Right Hose Reels ====	1	RBM
		-	
PA-44-0450	Propellant Cylinder Lifting System Left Side 4x4	1	RBM
PA-44-0480	====Non Triple Agent Vehicle====	1	RBM
	Chassis Electrical System	1	RBM
PA-45-0001	Chassis Electrical System	1	RBM
PA-45-0010	Volvo 150 Amp 24 Volt Alternator	1	RBM
PA-45-0101	Batteries 24V	1	RBM
PA-45-0102	Jump Start/Charging Lugs	1	RBM
PA-45-1000	Coolant Heater (110 Volt)	1	RBM
PA-46-0106		1	RBM
A-40-0106	< > 20 Amp 110 Volt Auto-Eject Shoreline - Battery Charger Left side behind cab		RDIVI
PA-47-0001	Wiring	1	RBM
	Chassis Pneumatic System	1	RBM
PA-23-0100	==== No Pneumatic Outlet Connection ====	1	RBM
A-23-0201	Pneumatic Hose Reel - 200' - Mounted Right Side Engine Mod	1	RBM
PA-23-0401	< > Air Auto-Eject	1	RBM
	Left side behind cab		
	Manufact Links Makisla Linksin a		DDA
10 0004	Warning Lights/Vehicle Lighting	1	
PA-48-0001	Emergency Warning Light System	1	RBM
PA-48-0005	==== No Opti-Com Traffic Emitter ====	1	RBM
PA-48-0010	====Upper Front & Side Warning Lights====	1	RBM
PA-48-0011	Red Lights	1	RBM
PA-48-0016	====Upper Rear & Side Warning Lights====	1	RBM
A-48-0017	Red Lights	1	RBM
A-48-0020	====Lower Rear Warning Lights====	1	RBM
A-48-0020	Red Lights	1	RBM
PA-48-0022	Lower Side Warning Lights (2 Total)	1	RBM
PA-48-0027	Red Lights (One each Side Mtd Mid-Ship)	1	RBM
PA-48-0030	====Lower Front Warning Lights====	1	RBM
PA-48-0031	Red Lights	1	RBM
PA-48-0033	Lower Warning Disable Switch	1	RBM
		· · · · ·	
A-48-0040	Air Traffic Warning Lights	1	RBM

08/01/2022		OTY	Page 8
	S DESCRIPTION	QTY	
PA-48-0048 PA-48-0083	====Lower Vehicle Running Light System (Non-DOT)====	1	RBM RBM
PA-48-0085 PA-48-0055	==== No Rubber Stanchion Mounted Lights ====	1	
	Headlights	1	RBM RBM
PA-48-0056	Wig-Wag Headlight Flasher	1	
PA-48-0060	< Airfield Driving Lights (LED)	1	RBM
	Do not provide and install cover over light head.		
PA-48-0064	==== No Safe to Approach Lights ====	1	RBM
PA-48-0067	Cab Interior Lights	1	RBM
PA-48-0070	Brake/Taillights - High and Low Mount	1	RBM
PA-48-0078	Reverse Lights	1	RBM
PA-48-0081	Direction Indicating Lights	1	RBM
PA-48-0086	Lighted License Plate - Rear Only	1	RBM
PA-48-0089	No Fog Lights (Provide Cover)	1	RBM
PA-48-0092	Compartment Lights 4x4	1	RBM
PA-48-0094	Under Truck Lights	1	RBM
PA-48-0100	Deck and Work Lights	1	RBM
PA-48-0102	==== No Forward-Facing DC Scene Lights ====	1	RBM
PA-48-010E	Fixed Side Mounted LED 3k Lumen 24V Scene Lights (2 each side)	1	RBM
PA-48-0110	==== No Telescoping DC Scene Lights Over Pump Compartment ====	1	RBM
PA-48-0120	 < Fixed Rear Mounted LED 3k Lumen 24V Scene Lights (2) 	1	RBM
17400120	Mount on lower rear face.	1	I DIVI
PA-48-0130	==== No Telescoping DC Scene Lights Over Engine Compartment ====	1	RBM
PA-48-0150	==== No DC Light Tower ====	1	RBM
	Vehicle Generator System	1	RBM
PA-49-0134	Vehicle Generator/APU System 8kW w/Hour Meter	1	RBM
PA-49-013A	==== NO 110V Transfer Switch ====	1	RBM
PA-49-0142	Forward Facing FRC Spectra 20k Lumen LED 220V Scene Lights (2)	1	RBM
PA-49-0150	==== No Fixed Side Mounted AC Scene Lights ====	1	RBM
PA-49-015A	==== No Telescoping AC Scene Lights Over Pump Compartment ====	1	RBM
PA-49-015H	==== No Telescoping AC Scene Lights Over Engine Compartment ====	1	RBM
PA-49-015P	====No Rear AC Scene Lights====	1	RBM
PA-49-0160	==== No AC Light Tower ====	1	RBM
PA-49-0202	Elec Cord Reel - 200' 12-3 Yellow with L5-20 plug Mntd Left Side Eng.	1	RBM
	Mod		
PA-49-0251	Lighted Weatherproof Junctions Box w L5-20 Twist Lock Pig Tail	1	RBM
PA-49-0248	Four (4) 120V 20 amp household Outlets (Junction box)	1	RBM
PA-49-0254	< Two (2) 120V 20 amp household Outlets	1	RBM
	One ea. side of eng. mod.		
DA 40.0000	L Ora (4) 4000 00 Arra Hausahald Dualau Daara (Midda Ora	4	
PA-49-0262	< > One (1) 120v 20 Amp Household Duplex Recept Mtd In Cab	1	RBM
	EMS compartment		
	MISC	1	RBM
PA-50-0008	==== No Auxiliary Equipment ====	1	RBM
PA-50-0010	==== No Equipment Mounting ====	1	RBM
PA-50-0051	< Rosenbauer RST Diagnostic Software	1	RBM
	RBI part number 843232-001 SERVICE TOOLS	-	
PA-50-0054	1-Year RST Subscription	1	RBM